



AISSMS

COLLEGE OF PHARMACY

IMPARTING EXCELLENCE IN EDUCATION & RESEARCH



Approved by AICTE & PCI New Delhi, Recognized by the Government of Maharashtra,
2F,12B recognition by UGC, Affiliated to Savitribai Phule Pune University
Accredited by NAAC with A Grade

19 JUL 2023

Facility Evaluation 2022-23

Agenda: Facility evaluation and direction for improvement

Since no parameter is beyond the limit of 50% need improvement, while overall facility provided by us are satisfactory. Over endure will always be to maintain and improve the facility in the best interest of our students.

Dr. Ashwini Madgulkar
Principal
AISSMS College of Pharmacy
Pune-1

**AISSMS College Of Pharmacy,
Over all Summary of Facility Evaluation 2022-23**

	M.Pharm			B.Pharm		
	% Good	% Satisfactory	% Need Improvement	% Good	% Satisfactory	% Need Improvement
Class Room	70.49	17.71	11.81	77.05	18.41	4.55
Seating Arrangement	82.29	5.90	11.81	74.55	20.91	4.55
Ventelated Laboratories	76.39	11.81	11.81	79.32	16.14	4.55
Overhead Projectors In class rooms	70.49	23.61	5.90	70.00	27.73	2.27
LCD projector in Class room	52.78	29.51	17.71	56.14	37.05	6.82
Library Facilities	70.49	23.61	5.90	77.05	20.68	2.27
Internet Facility	76.39	17.71	5.90	72.27	25.45	2.27
Clean Washrooms	70.49	23.61	5.90	70.00	27.73	2.27
Drinking Water	46.88	47.22	5.90	60.91	36.82	2.27
Girls/Boys common Rooms	59.03	17.36	23.61	32.50	23.18	44.32
Canteen Facility	46.88	29.51	23.61	39.77	22.95	37.27
Parking Facility	70.49	17.71	11.81	70.00	18.41	11.59

Dr. S.V. Tembhurne

Dr. S.V. Tembhurne

Dr. M.M. Bandivadekar

Dr. M.M. Bandivadekar

Dr. Ashwini R. Madgulkar

Dr. Ashwini R. Madgulkar
Principal
AISSMS College of Pharmacy
Pune-1



AISSMS

COLLEGE OF PHARMACY

IMPARTING EXCELLENCE IN EDUCATION & RESEARCH



Approved by AICTE & PCI New Delhi, Recognized by the Government of Maharashtra,
2F,12B recognition by UGC, Affiliated to Savitribai Phule Pune University
Accredited by NAAC with A Grade

Facility Evaluation 2021-22

Agenda: Facility evaluation and direction for improvement

Since no parameter is beyond the limit of 50% need improvement except canteen facility, while overall facility provided by us are satisfactory. Over endure will always be to maintain and improve the facility in the best interest of our students.

The issue pointed out in the canteen facility in the current report will be resolved in due course of time.

Dr. Ashwini Madgulkar

Principal
AISSMS College of Pharmacy
Pune-1

**AISSMS College Of Pharmacy,
Over all Summary of Facility Evaluation 2021-22**

	M.Pharm			B.Pharm		
	% Good	% Satisfactory	% Need Improvement	% Good	% Satisfactory	% Need Improvement
Class Room	90.625	6.25	3.125	62.43	30.16	7.41
Seating Arrangement	87.5	9.375	3.125	76.72	15.87	7.41
Ventelated Laborotarties	68.75	25	6.25	53.44	23.28	10.58
Overhead Projectors In class rooms	71.875	21.875	6.25	33.86	62.43	3.70
LCD projector in Class room	75	18.75	6.25	31.31	59.60	9.09
Library Facilities	75	21.875	3.125	65.80	31.17	3.03
Internet Facility	75	21.875	3.125	62.48	34.49	3.03
Clean Washrooms	71.875	18.75	9.375	49.93	43.87	6.20
Drinking Water	59.375	25	15.625	34.63	59.16	6.20
Girls/Boys common Rooms	65.625	21.875	12.5	27.85	31.46	40.69
Canteen Facility	59.375	15.625	25	12.41	34.20	53.39
Parking Facility	90.625	9.375	0	68.98	24.96	6.06



Dr. S.V. Tembhurne



Dr. M.M. Bandivadekar



Dr. Ashwini R. Madgulkar

Principal
AISSMS College of Pharmacy
Pune-1



AISSMS

COLLEGE OF PHARMACY

IMPARTING EXCELLENCE IN EDUCATION & RESEARCH



Approved by AICTE & PCI New Delhi, Recognized by the Government of Maharashtra,
2F,12B recognition by UGC, Affiliated to Savitribai Phule Pune University
Accredited by NAAC with A Grade

Facility Evaluation 2020-21

Agenda: Facility evaluation and direction for improvement

Since no parameter is beyond the limit of 50% need improvement, while overall facility provided by us are satisfactory. Over endure will always be to maintain and improve the facility in the best interest of our students.

*Due to Covid pandemic restriction only reseach were allowed to the college so facility evalutiun was conducted for PG research students only

Dr. Ashwini Madgulkar
Principal
AISSMS College of Pharmacy
Pune-1

AISSMS College Of Pharmacy,
Summary of Facility Evaluation M.Pharm 2020-21

	% Good	% Satisfactory	% Need Improvement
Class Room	75	18.75	6.25
Seating Arrangement	68.75	28.125	3.125
Ventelated Laborotarties	71.875	21.875	6.25
Overhead Projectors In class rooms	68.75	21.875	9.375
LCD projector in Class room	68.75	21.875	9.375
Library Facilities	71.875	25	3.125
Internet Facility	75	21.875	3.125
Clean Washrooms	78.125	12.5	9.375
Drinking Water	50	28.125	21.875
Girls/Boys common Rooms	59.375	31.25	9.375
Parking Facility	90.625	6.25	3.125



Dr. S.V. Tembhurne



Dr. M.M. Bandivadekar



Dr. Ashwini R. Madgulkar
Principal
AISSMS College of Pharmacy
Dune-1



AISSMS

COLLEGE OF PHARMACY

Approved by AICTE & PCI New Delhi. Recognized by the Government of Maharashtra
2F-12B recognized by UGC. Affiliated by Pimpri Chinchwad Education University
College ID No. PU/CPN/Pharm/11/201964
Accredited by NAAC 'B' Grade



COP/PN/2020-2021/

Date-21/12/2020

To,

The Principal,

AISSMS COLLEGE OF Pharmacy Near RTO, Kennedy Road,

Pune.- 411001.

Ref. – Feedback summary of Alumni Feedback 2019-20.

Respected madam,

Please find the summary of feedback for infrastructure facilities and Alumni meet from Alumni.

Sr. no.	Parameter	Avg. feedback out of 5
1	Building and infrastructure	4.0
2	Facility(canteen,sports,bank etc)	3.2
3	Teaching aid & laboratory facilities	3.4
4	Satisfied by delivery of syllabus by teachers/learning process?	3.1
5	Performance of supporting staff	2.8
6	Library facilities, management & collection	3.1
7	Sports/cultural activities	3.2
8	Relevance of course knowledge to the base line knowledge expected in your career.	3.5
9	Motivation guidance of co-curricular activities ,project ,competition guest lectures	3.5
10	Need for inclusion of new technology in curriculum	3.3
11	placement initiatives	2.8
	Avg feedback for infrastructure facilities	3.12
12	Alumni meet venue arrangement	3.7
13	Hospitality	3.5
14	Faculty interaction	3.4
		3.3
15	Overall interaction	4
18	Avg feedback	3.58

The overall avg. feedback is 3.12 out of 5 for infrastructure facilities and 3.58/5 for alumni meet.

Dr. S.V Bhandari

Dr. Ashwini B. Madgulkar
Principal
AISSMS College of Pharmacy
Pune-1





AISSMS

COLLEGE OF PHARMACY

IMPARTING EXCELLENCE IN EDUCATION & RESEARCH
Approved by AICTE & PCI New Delhi, Recognized by the Government of Maharashtra
2F, 12B recognition by UGC, Affiliated to Savitribai Phule Pune University
College ID No. PU/PN/2016/112/2019/01
Accredited by NAAC with 'B' Grade



COP/PN/2020-2021/

Date-21/12/2019

To,

The Principal,

AISSMS COLLEGE OF Pharmacy Near RTO, Kennedy Road,

Pune.- 411001.

Ref. – Feedback summary of Alumni Feedback 2018-19.

Respected madam,

Please find the summary of feedback for infrastructure facilities and Alumni meet from Alumni.

Sr. no.	parameter	Avg. feedback out of 5
1	Building and infrastructure	3.9
2	Facility(canteen,sports,bank etc)	3.2
3	Teaching aid & laboratory facilities.	3.4
4	Satisfied by delivery of syllabus by teachers/learning process?	3.2
5	Performance of supporting staff	2.8
6	Library facilities, management & collection	3.1
7	Sports/cultural activities	3.2
8	Relevance of course knowledge to the base line knowledge expected in your career.	3.5
9	Motivation guidance of co-curricular activities ,project ,competition guest lectures	3.5
10	Need for inclusion of new technology in curriculum	3.3
11	placement initiatives	2.8
	Avg feedback for infrastructure facilities	3.16
12	Alumni meet venue arrangement	3.7
13	Hospitality	3.8
14	Faculty interaction	3.5
		3.4
15	Overall interaction	4
18	Avg feedback	3.70

The overall avg. feedback is 3.16 out of 5 for infrastructure facilities and 3.70/5 for alumni meet.

Dr. S.V Bhandari

Dr. Ashwini R. Madgulkar



Principal
AISSMS College of Pharmacy
Pune-1

AISSMS COLLEGE OF PHARMACY

KENNEDY ROAD, NEAR RTO,

PUNE 411 001

FACILITY EVALUATION FORM

YEAR: FY/SY/TY/FINAL/M.Pharm I/II ACADEMIC YEAR: 20~~2~~-20 23

PLEASE TICK THE APPROPRIATE CHOICE:

- | | | |
|--------------------------------------|--------|--------|
| 1. CLASSROOMS | G/S/NI | |
| 2. SEATING ARRANGEMENT | | G/S/NI |
| 3. VENTILATED LABORATORIES | G/S/NI | |
| 4. OVERHEAD PROJECTORS IN CLASSROOMS | | G/S/NI |
| 5. LCD PROJECTORS IN CLASSROOMS | | G/S/NI |
| 6. LIBRARY FACILITY | | G/S/NI |
| 7. INTERNET FACILITY | | G/S/NI |
| 8. CLEAN WASH ROOMS | | G/S/NI |
| 9. DRINKING WATER | | G/S/NI |
| 10. GIRLS/BOYS COMMON ROOM | | G/S/NI |
| 11. CANTEEN FACILITY | | G/S/NI |
| 12. PARKING FACILITY | | G/S/NI |

KEY: G- good, S- satisfactory, NI- needs improvement

Note: Provide separate sitting arrangements for M.Pharm students!

AISSMS COLLEGE OF PHARMACY

KENNEDY ROAD, NEAR RTO,

PUNE 411 001

FACILITY EVALUATION FORM

YEAR: FY/SY/TY/FINAL/M.Pharm I/II ACADEMIC YEAR: 20~~22~~-20²³

PLEASE TICK THE APPROPRIATE CHOICE:

- | | | |
|--------------------------------------|--------|--------|
| 1. CLASSROOMS | G/S/NI | |
| 2. SEATING ARRANGEMENT | | G/S/NI |
| 3. VENTILATED LABORATORIES | G/S/NI | |
| 4. OVERHEAD PROJECTORS IN CLASSROOMS | | G/S/NI |
| 5. LCD PROJECTORS IN CLASSROOMS | | G/S/NI |
| 6. LIBRARY FACILITY | | G/S/NI |
| 7. INTERNET FACILITY | | G/S/NI |
| 8. CLEAN WASH ROOMS | | G/S/NI |
| 9. DRINKING WATER | | G/S/NI |
| 10. GIRLS/BOYS COMMON ROOM | | G/S/NI |
| 11. CANTEEN FACILITY | | G/S/NI |
| 12. PARKING FACILITY | | G/S/NI |

KEY: G- good, S- satisfactory, NI- needs improvement

AISSMS COLLEGE OF PHARMACY

KENNEDY ROAD, NEAR RTO,

PUNE 411 001

FACILITY EVALUATION FORM

YEAR: FY/SY/TY/FINAL/M.Pharm I/II ACADEMIC YEAR: 20~~22~~20²³

PLEASE TICK THE APPROPRIATE CHOICE:

- | | | |
|--------------------------------------|--------|--------|
| 1. CLASSROOMS | G/S/NI | |
| 2. SEATING ARRANGEMENT | | G/S/NI |
| 3. VENTILATED LABORATORIES | G/S/NI | |
| 4. OVERHEAD PROJECTORS IN CLASSROOMS | | G/S/NI |
| 5. LCD PROJECTORS IN CLASSROOMS | | G/S/NI |
| 6. LIBRARY FACILITY | | G/S/NI |
| 7. INTERNET FACILITY | | G/S/NI |
| 8. CLEAN WASH ROOMS | | G/S/NI |
| 9. DRINKING WATER | | G/S/NI |
| 10. GIRLS/BOYS COMMON ROOM | | G/S/NI |
| 11. CANTEEN FACILITY | | G/S/NI |
| 12. PARKING FACILITY | | G/S/NI |

KEY: G- good, S- satisfactory, NI- needs improvement